


*Summer  
Sale*



Sale ends September 30<sup>th</sup>, 2018

Store hours 7:30-4:30 M-F



**Gogel Fastener  
and Industrial  
Supply Co.**

***TOLEDO OWNED SINCE 1937***

1819 North 13<sup>th</sup> St

Toledo, OH 43604

(p) 419-243-9144

(f) 419-243-9696



**Gogel Fastener  
and Industrial Supply Co.**

***TOLEDO OWNED SINCE 1937***

Visit [www.GFISCO.com](http://www.GFISCO.com) for more info



- Non-clogging can empties contents completely
- Available in 22 regular and fluorescent colors
- Packaged in 20-ounce aerosols and bulk liquid containers
- High Delivery available for faster delivery and better coverage
- Marking is visible for up to 6 months depending on traffic and exposure

**SALE \$5.99**



### Irwin 18" Cast Iron Pipe Wrench

- Heavy Duty Drop Forged Cast Iron Housing
- I-Beam Handle For Excellent Weight Distribution
- Heat Treated Teeth and Adjusting Nut



**\$29.99**



- Fast-acting, deep cleaning formula
- Removes brake dust without leaving any residue
- High solvency and fast evaporation
- 25% more spray power than standard brake parts cleaners
- Non-Corrosive
- Water-Based, Biodegradable

Chlorinated **\$3.99** Non Chlorinated **\$3.75**



**Gogel Fastener and Industrial Supply Co.**

TOLEDO OWNED SINCE 1937

Visit [www.GFISCO.com](http://www.GFISCO.com) for more info

# metabo<sup>®</sup>

## work. don't play.

Receive a free Metabo Band Saw with purchase of ANY  
Metabo LiHD Cordless Tool Kit



**MBS 18 LTX 2.5**

**\$250 VALUE**

- Light cordless band saw for precise, burr-free cuts
- Compact design for sawing in hard to reach places and overhead
- Metabo Quick change, replace your blades without any tools
- Integrated LED work light for illumination the cutting line
- Robust housing with solid metal stop and metal saw blade cover
- Low-Fatigue working thanks to optimum center of gravity and



**Gogel Fastener  
and Industrial Supply Co.**

*TOLEDO OWNED SINCE 1937*

Visit [www.GFISCO.com](http://www.GFISCO.com) for more info

# T-REX<sup>®</sup>



- Premium adhesive and high tensile construction
- Made with UV resistant materials
- Indoor/Outdoor on any material
- Made with heavy-duty knit cloth for long-lasting repairs or applications
- Durable waterproof backing keeps fixes secure from extreme weather

**\$7.75**

**HA HEARTLAND  
ADHESIVES, INC.**

*Where quality, service, & integrity meet*



## Fas-Lok Anaerobic Adhesives & Sealants 50ml




- RC09-Green-Close/pressure fitting parts, rotors, shafts etc.
- TL42-Blue-Removable grade up to ¾" bolts
- TL43-Blue-Removable oil resistance up to ¾" bolts
- TL62-Red-Permanent locking up to ¾" bolts
- TL71-Red-High Strength for bolts up to 1"

**\$26.99**

**G Gogel Fastener  
and Industrial Supply Co.**

TOLEDO OWNED SINCE 1937

Visit [www.GFISCO.com](http://www.GFISCO.com) for more info



Simply better.

### Economy Spring Clamp

- Pivoting jaws adjust to work
- Made from durable lightweight polyamide



XC1-2 SALE \$.80

XC2-2 SALE \$1.79

XC5-2 SALE \$2.49 XC7-2 SALE \$3.99 XC-14 KIT SALE \$15.99



### Knipex 8801300SBA Alligator Pliers

- Box-Joint Design
- Self-Locking On Pipes And Nuts
- Special Hardened Teeth

\$44.99



### Knipex 8603250SBA Pliers Wrench

- Lever Transmission Gear for 10-1 Power
- Parallel Jaws Allow Variable Gripping

\$64.99



### Knipex 7131200SBA Cobolt Cutters W/ Notch

- Cuts Materiel up to 5.2mm
- High Performance Cutting With Lever Action Design
- Cutting Edge Hardened To 64 HRC

\$64.99



Gogel Fastener and Industrial Supply Co.

TOLEDO OWNED SINCE 1937

Visit [www.GFISCO.com](http://www.GFISCO.com) for more info

# OIL-DRI

## CORPORATION OF AMERICA



### 15x19 Heavy Pads

- Superior liquid/oil retention
- Incinerable to reduce disposal costs
- Hydrophobic design to absorb petroleum based fluids and repels water in oil only pad
- Versatile enough to fit into tight spots and is easily cut

OIL ONLY PAD SALE \$1.75

UNIVERSAL PAD SALE \$1.50

### 5 Gallon Spill Kit

- Kit provides two absorbent socks, 15 pads, an LDPE disposable bag, and a pail
- Socks are flexible to fit in tight spaces & wrap corners
- 15 pads are chemically inert polypropylene and heat bonded



AUTO KIT SALE \$59.99

OIL KIT SALE \$49.99

UNIVERSAL KIT SALE \$42.63

 **Gogel Fastener  
and Industrial Supply Co.**

TOLEDO OWNED SINCE 1937

Visit [www.GFISCO.com](http://www.GFISCO.com) for more info



## Heat Shrink Tubing

- 4' length, Flexible Polyolefin, -55 to 110 Celsius
- Double wall with adhesive
- 3m brand USA

1/8" SALE \$9.00 3/16" SALE \$10.00 1/4" SALE \$11.00

.00 1/2" SALE \$13.00 3/4" SALE \$14.00 1" SALE \$20.00

## 100' Polar/Solar Extension Cord

- 12 Gauge / 3 Conductor
- 15 Amp Rating
- Power Indicator
- Outside Jacket Is Flame Retardant and Water Resistant
- Stays Flexible at -67\* F



**\$79.99**



## Premium 750 Electric Tape 10 roll sleeve

- 10 rolls per sleeve
- Rated to 600 volts
- Cold and heat resistant 0-225 F
- 3/4x66'
- High rebound for moisture tight electric and mechanical protection

**SALE \$25.90**

## Color Electric Tape



- Colors available, Red, Orange, Blue, Green, Yellow, Brown, Gray, White
- Premium phasing tape for wire identification
- Ideal for wrapping small wires
- Very conformable

**SALE \$7.99**

Thank you to all of our valued customers for the support of our 2018 TOOL DAY, We hope to



see you all again next year!



DRILL SIZE	DECIMAL	DRILL SIZE	DECIMAL	DRILL SIZE	DECIMAL	DRILL SIZE	DECIMAL	DRILL SIZE	DECIMAL	DRILL SIZE	DECIMAL
0.1mm	.0039	55	.0520	9/64	.1406	15/64	.2344	W	.3860	11/16	.6875
0.2mm	.0079	54	.0550	27	.1440	6mm	.2362	25/64	.3906	17.5mm	.6890
0.3mm	.0118	53	.0595	26	.1470	B	.2380	10mm	.3937	45/64	.7031
80	.0135	52	.0635	25	.1495	C	.2420	X	.3970	18mm	.7087
79	.0145	51	.0670	24	.1520	D	.2460	Y	.4040	23/32	.7188
1/64	.0156	50	.0700	23	.1540	1/4 & E	.2500	Z	.4130	18.5mm	.7283
0.4mm	.0157	49	.0730	22	.1570	6.5mm	.2559	27/64	.4219	47/64	.7344
78	.0160	48	.0760	21	.1590	F	.2570	10.5mm	.4134	19mm	.7480
77	.0180	47	.0785	20	.1610	G	.2610	7/16	.4375	3/4	.7500
0.5mm	.0197	46	.0810	19	.1660	17/64	.2656	11mm	.4331	49/64	.7656
76	.0200	45	.0820	18	.1695	H	.2660	11.5mm	.4528	19.5mm	.7677
75	.0210	44	.0860	17	.1730	I	.2720	29/64	.4531	20mm	.7874
74	.0225	43	.0890	16	.1770	J	.2756	15/32	.4688	51/64	.7969
0.6mm	.0236	42	.0935	15	.1800	K	.2810	12mm	.4724	20.5mm	.8071
73	.0240	41	.0960	14	.1820	9/32	.2812	31/64	.4844	13/16	.8125
72	.0250	40	.0980	13	.1850	L	.2900	12.5mm	.4921	21mm	.8268
71	.0260	39	.0995	12	.1890	M	.2950	1/2	.5000	53/64	.8281
0.7mm	.0276	38	.1015	11	.1910	7.5mm	.2953	13mm	.5118	27/32	.8438
70	.0280	37	.1040	10	.1935	19/64	.2969	33/64	.5156	21.5mm	.8465
69	.0292	36	.1065	9	.1960	N	.3020	17/32	.5313	55/64	.8594
68	.0310	35	.1100	8	.1990	5/16	.3125	13.5mm	.5315	22mm	.8661
1/32	.0312	34	.1110	7	.2010	8mm	.3150	35/64	.5469	7/8	.8750
0.8mm	.0315	33	.1130	6	.2040	O	.3160	14mm	.5512	22.5mm	.8858
67	.0320	32	.1160	5	.2055	P	.3230	9/16	.5625	57/64	.8906
66	.0330	31	.1200	4	.2090	21/64	.3281	14.5mm	.5709	23mm	.9055
65	.0350	30	.1285	3	.2130	8.5mm	.3346	37/64	.5781	29/32	.9062
0.9mm	.0354	29	.1360	2	.2210	R	.3390	15mm	.5906	59/64	.9219
64	.0360	28	.1405	1	.2280	11/32	.3438	19/32	.5938	23.5mm	.9252
63	.0370			A	.2340	S	.3480	39/64	.6094	15/16	.9375
62	.0380					9mm	.3543	15.5mm	.6102	24mm	.9449
61	.0390					T	.3580	5/8	.6250	61/64	.9531
1mm	.0394					23/64	.3594	16mm	.6299	24.5mm	.9646
60	.0400					U	.3680	41/64	.6406	31/32	.9688
59	.0410					9.5mm	.3740	16.5mm	.6496	25mm	.9843
58	.0420					3/8	.3750	17mm	.6693	1	1.000
57	.0430					V	.3770	43/64	.6719		
56	.0465										
3/64	.0469										

TAP DRILL SIZE — CUTTING TAP							
0-80	3/64	10-32	No. 21	5/8-11	17/32	7/8-14	13/16
1-64	No. 53	12-24	No. 17	5/8-18	37/64	1-8	7/8
1-72	No. 53	12-28	No. 15	3/4-10	21/32	1-12	59/64
2-56	No. 50	1/4-20	No. 7	3/4-16	11/16	1-14	15/16
2-64	No. 50	1/4-28	No. 3	7/8-9	49/64		
3-48	No. 47	5/16-18	F	TAPER PIPE		STRAIGHT PIPE	
3-56	No. 46	5/16-24	I	1/16-27	0	1/16-27	1/4
4-40	No. 43	3/8-16	5/16	1/8-27	R	1/8-27	11/32
4-48	No. 42	3/8-24	Q	1/4-18	7/16	1/4-18	7/16
5-40	No. 39	7/16-14	U	3/8-18	37/64	3/8-18	37/64
5-44	No. 38	7/16-20	W	1/2-14	45/64	1/2-14	23/32
6-32	No. 36	1/2-12	27/64	3/4-14	59/64	3/4-14	59/64
6-40	No. 33	1/2-13	27/64	1-11-1/2	1-5/32	1-11-1/2	1-5/32
8-32	No. 29	1/2-20	29/64	1-1/4-11-1/2	1-1/2	1-1/4-11-1/2	1-1/2
8-36	No. 29	9/16-12	31/64	1-1/2-11-1/2	1-1/2	1-1/2-11-1/2	1-3/4
10-24	No. 25	9/16-18	33/64	2-11-1/2	2-7/32	2-11-1/2	2-7/32
TAP DRILL SIZE — FORMING TAP (Based On Approx. 65% Thread)							
0-80	54	5-44	2.9mm	1/4-28	A	1/2-20	31/64
1-64	1.65mm	6-32	1/8	5/16-18	7.3mm	9/16-12	17/32
1-72	1.7mm	6-40	3.2mm	5/16-24	M	5/8-11	15mm
2-56	5/64	8-32	25	3/8-16	S	5/8-18	19/32
2-64	2mm	8-36	24	7/16-14	T	3/4-10	45/64
3-48	43	10-24	11/64	7/16-20	10.5mm	3/4-16	23/32
3-56	2.3mm	10-32	16	1/2-13	15/32		
4-40	39	12-24	5mm				
4-48	2.6mm	12-28	8				
5-40	33	1/4-20	1				



Gogel Fastener and Industrial Supply Co.

Visit [www.GFISCO.com](http://www.GFISCO.com) for more info

TOLEDO OWNED SINCE 1937